

Rhino Titanium Script Form

Defensive - Low Point (suitable for 0.5-1.5 player)

90900T



To Order Fill in the frame dimensions and features required. For variations describe in detail on a separate page. If you have any further questions contact us at the address at the bottom of the page.

CLIENT DETAILS

Date	Disability
Name	Grading
Address	Weight
	Height
Phone	Shoe Size
Fax / Cell	T-Shirt Size
Email	

DELIVERY DETAILS

Required by _____
(Delivery is normally 4-6 weeks from order confirmation)

ADDITIONAL NOTES

(you can type here)

Rhino Titanium Script Form

Defensive - Low Point (suitable for 0.5-1.5 player)

Name _____

FOOTPLATE

- ☐ No Footplate
 ☐ Alloy Footplate Cover - adjustable **AD11690**
☐ Custom Alloy Footplate Cover **AD11691**
- ☐ Alloy Footplate Cover - fixed **AD11690**
☐ Alloy Footplate Cover - 4 post **AD11692**
(Heavy Duty)

ANTI-TIPS

- ☐ Twin Swivel (wide set) **AD15151**
☐ Poly Plating on Anti Tip **AD15166**
☐ Space required under Castor (max 20mm)
- ☐ Internal Plating on Anti Tip
 ☐ Anti Tip Protect - Straight Bar (height)



BEARINGS

- ☐ Standard Bearings
 ☐ Melrose Hybrid Ceramic Bearings **AD20400**

CASTORS

- ☐ 76 Rollerblade (std)
 ☐ Other _____

UPHOLSTERY

- ☐ Seat Sling (std)
 ☐ No Cushion
 ☐ Hip Strap - webbing **AD16510**
- ☐ Rhino Back Upholstery Adjustable Height only (std) _____ (width)
 ☐ Cushion 1" **AD16201**
☐ Hip Strap - ratchet **AD16550**
- ☐ Rhino Back Upholstery Adjustable Width and Height **AD16050**
☐ Cushion 2" **AD16202**
☐ Foot Strap - webbing **AD16333**
- ☐ Back Bar Cover **AD16420**
☐ Foot Strap - ratchet **AD16350**
- ☐ Leg Strap **AD16330**
- ☐ Chest Strap **AD45210**
(measure around your chest and seat back)

- ☐ Gloves (style & size) _____
 ☐ Wheel Bag (Black with choice of trim colour) **AD16780** (Choose your trim colour)
- ☐ Wheel Bag USA **AD16782**
☐ Classic
 ☐ Retro
 ☐ Dirty
- ☐ Custom Wheel Bag **AD16781** (describe below)



SKIRT GUARDS

- ☐ Fabric Skirt Guards **AD16100**
☐ Alloy Skirt Guards - screw on **AD16130** (height)

ACCESSORIES

- ☐ Ball Holder Mounts **AD20350**
- ☐ Titanium Studs **AD20300**

Rhino Titanium Script Form

Defensive - Low Point (suitable for 0.5-1.5 player)

Seat Width - Rear

Seat Width - Front

A Seat Length

B Back Width

C Back Splay - Top

D Back Splay - Length

E Back Height

F Back Angle

G Seat to Footplate

H Overall Frame Length
(centre of camber bar to front of pick bar)

I Wheel Base
(centre of camber bar to centre of pivot)

J Seat to Floor - Front

K Seat to Floor - Rear

L Balance Point

M Pivot Centres

N Footplate Position

O Between Wheels

P Camber

WINGS

☐ Single Wings **AD20200**

☐ Double Wings **AD20210**

☐ Inverted Wings **AD20220**

Wing Height

PICK BAR

☐ Titanium (welded) **AD20132**

☐ Titanium (bolt on) **AD20131**

☐ Steel (bolt on) **AD20120**

Width Height

Angle Code PB -

Q ☐ Transfer Rail **AD20312**

R ☐ Holes for Bindings



S ☐ Flexible Backpost Cap **AD20310**
(only available with fixed back)

T Axle Receivers ☐ 1/2" (std)

☐ 5/8" **AD12550**

Castor Position ☐ **U** ☐ **V**

Name




ERGO SEAT OPTION AD10221

W Ergo Seat Length

X Ergo Back Height

Y Ergo Back Angle



Name _____

☐ **NO WHEELS** Set the wheelchair up for: _____

WHEELS

TYRES

24"

- ☐ Spoked Wheels 1/2" axle (std)
- ☐ Spinergy SL Wheels 1/2" axle (24 spoke) **AD13410**
- ☐ Spinergy SLX Wheels 1/2" axle (24 spoke) **AD13420**
- ☐ Spinergy SLX Wheels 5/8" axle (24 spoke) **AD13430**

24"

- ☐ 24" x 1" High Pressure Smooth (std)
- ☐ Kenda Ironcap Blue (std)
- ☐ Schwalbe Right Run **AD13740**
- ☐ Tufo Tubeless **AD13760**

25"

- ☐ Spoked Wheels 1/2" axle **AD13060**
- ☐ Spinergy SL Wheels 1/2" axle (24 spoke) **AD13410**
- ☐ Spinergy SLX Wheels 1/2" axle (24 spoke) **AD13420**
- ☐ Spinergy SLX Wheels 5/8" axle (24 spoke) **AD13430**

25"

- ☐ 25" x 1" High Pressure Smooth (std)
- ☐ Kenda Ironcap Blue (std)
- ☐ Schwalbe Right Run **AD13740**
- ☐ Tufo Tubeless **AD13760**

26"

- ☐ Spoked Wheels 1/2" axle **AD13060**
- ☐ Spinergy SL Wheels 1/2" axle (24 spoke) **AD13410**
- ☐ Spinergy SLX Wheels 1/2" axle (24 spoke) **AD13420**
- ☐ Spinergy SLX Wheels 5/8" axle (24 spoke) **AD13430**

26"

- ☐ 26" x 1" High Pressure Smooth (std)
- ☐ Kenda Ironcap Blue (std)
- ☐ Schwalbe Right Run **AD13740**
- ☐ Tufo Tubeless **AD13760**

PUSHRIMS

- ☐ Anodised Alloy (std) ☐ Rubber coated (red) **AD13845**

PUSHRIMS - POSITION

- ☐ Standard ☐ In close ☐ Onto rim

SPOKE GUARDS

- ☐ Nil ☐ Clear Polycarb Dish Spoke Guard **AD13920** ☐ 35mm hole
- ☐ Clear Polycarb Attacker Spoke Guard **AD13925** ☐ Other hole (size) _____
- ☐ Oversized Slotted Black Poly Dish Spoke Guard **AD13935**

SPOKE GUARDS with PUSHRIMS (ONE PIECE)

- ☐ Nil ☐ Alloy SG001 (16mm p/r) **AD13950** ☐ Alloy Poly SG006 (16mm p/r) **AD13955** ☐ Red Rubber Poly SG004 (16mm p/r) **AD13960**
- ☐ Alloy SG001 (19mm p/r) **AD13950** ☐ Alloy Poly SG006 (19mm p/r) **AD13955** ☐ Red Rubber Poly SG004 (19mm p/r) **AD13960**
- ☐ Alloy Poly Oversize SG006os **AD13956**

SPARE WHEELS as above

- ☐ Spoked Wheel 24" **AD13507** (quantity) _____
- ☐ Spoked Wheel 25"/26" **AD13561** (quantity) _____
- ☐ Spinergy SL Wheel **AD13641** (quantity) _____
- ☐ Spinergy SLX Wheel 1/2" axle **AD13651** (quantity) _____
- ☐ Spinergy SLX Wheel 5/8" axle **AD13661** (quantity) _____

TYRES, TUBES and AXLES on SPARE WHEELS

- ☐ Tube fitted **AD13695** (quantity) _____
- ☐ Kenda Tyre fitted **AD13701** (quantity) _____
- ☐ Schwalbe Tyre fitted **AD13741** (quantity) _____
- ☐ Axle 1/2" **AD12508** (quantity) _____
- ☐ Axle 5/8" **AD12510** (quantity) _____

SPOKE GUARDS for SPARE WHEELS as above ☐ FIT TO SPARE WHEEL

- ☐ Clear Polycarb Dish Spoke Guard **AD13921** (quantity) _____
- ☐ Clear Polycarb Attacker Spoke Guard **AD13926** (quantity) _____
- ☐ Oversized Slotted Black Poly Dish Spoke Guard **AD13936** (quantity) _____
- ☐ Red Rubber Pushrim **AD13846** (quantity) _____

DO NOT FIT TO SPARE WHEEL

- ☐ Alloy SG001 **AD13951** (quantity) _____
- ☐ Alloy Poly SG006 **AD13954** (quantity) _____
- ☐ Alloy Poly Oversize SG006os **AD13957** (quantity) _____
- ☐ Red Rubber Poly SG004 **AD13961** (quantity) _____

EXTRA AXLES

- ☐ Axles 1/2" **AD12514** ☐ Axles 5/8" **AD12516**

EXTRA BEARINGS

- ☐ Steel 608 5/16" **AD20402** ☐ Steel R8 1/2" **AD20405**
- ☐ Ceramic 608 5/16" **AD20403** ☐ Ceramic R8 1/2" **AD20407**